

neodisher IP Spray

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 10.04.2017

Print date: 28.06.17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neodisher IP Spray

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Metal surface treatment products, including galvanic and electroplating products

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG
Mühlenhagen 85
D-20539 Hamburg
Telephone no. +49 40 789 60 0
Fax no. +49 40 789 60 120
www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

GBK/ Infotrac: (USA domestic) 1 800 535 5053 or international +1 352 323 3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Aerosol 1	H222
STOT SE 3	H336
Aquatic Chronic 2	H411

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
------	---

neodisher IP Spray

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 10.04.2017

Print date: 28.06.17

P211	sources. No smoking.
P251	Do not spray on an open flame or other ignition source.
P261	Do not pierce or burn, even after use.
P273	Avoid breathing dust/fume/gas/mist/vapours/spray.
P410+P412	Avoid release to the environment.
	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
	Dispose only when container is empty and closed. For disposal of product residues, refer to Safety Data Sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains aliphatic hydrocarbons, C5-C6

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

fatty alcohols, ethoxylated

CAS No.	68920-66-1			
EINECS no.	500-236-9			
Concentration	>= 1	<	10	%
Classification (Regulation (EC) No. 1272/2008)	Skin Irrit. 2		H315	
	Aquatic Acute 1		H400	
	Aquatic Chronic 3		H412	

aliphatic hydrocarbons, C5-C6

EINECS no.	931-254-9			
Registration no.	01-2119484651-34			
Concentration	>= 25	<	50	%
Classification (Regulation (EC) No. 1272/2008)	Flam. Liq. 2		H225	
	Skin Irrit. 2		H315	
	STOT SE 3		H336	
	Asp. Tox. 1		H304	
	Aquatic Chronic 2		H411	

Propane

CAS No.	74-98-6			
EINECS no.	200-827-9			
Concentration	< 30			%
Classification (Regulation (EC) No. 1272/2008)	Flam. Gas 1		H220	
	Press. Gas			

Butane

CAS No.	106-97-8			
EINECS no.	203-448-7			
Concentration	< 30			%
Classification (Regulation (EC) No. 1272/2008)	Flam. Gas 1		H220	
	Press. Gas			

neodisher IP Spray

Version: 3 / GB

Replaces Version: 2 /
GB

Date revised: 10.04.2017

Print date: 28.06.17

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. In case of persistent symptoms consult doctor.

After inhalation

Ensure supply of fresh air.

After skin contact

No special measures required.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical advice immediately.

After ingestion

No special measures required.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder, Water spray jet, Foam

Non suitable extinguishing media

Compatible with all usual extinguishing media.

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible. If a fire breaks out nearby, pressure build-up and danger of bursting are possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use personal protective clothing.

6.2. Environmental precautions

Do not allow to enter drains or waterways. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

neodisher IP Spray

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 10.04.2017

Print date: 28.06.17

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid impact, friction and electro-static loading; risk of ignition!. Provide good room ventilation even at ground level (vapours are heavier than air).

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take precautionary measures against static discharge.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 5 < 30 °C

Requirements for storage rooms and vessels

No special measures required.

Storage class according to TRGS 510

Storage class according to TRGS 510 2B Aerosol dispensers

Further information on storage conditions

Keep container tightly closed. Keep container in a well-ventilated place. Keep in a cool place

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

Pentane

List	EH40			
Type	WEL			
Value	1800	mg/m ³	600	ppm(V)
Status: 2011				

Butane

List	EH40			
Type	WEL			
Value	1450	mg/m ³	600	ppm(V)
Short term exposure limit	1810	mg/m ³	750	ppm(V)
Status: 2011; Remarks: carc if more than 0,1% buta-1,3-diene				

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Do not inhale gases/vapours/aerosols. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Short term: filter apparatus, filter AX

neodisher IP Spray

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 10.04.2017

Print date: 28.06.17

Hand protection

Not necessary.

Eye protection

Safety glasses with side protection shield (EN 166)

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	Aerosol		
Colour	colourless		
Odour	characteristic		
Odour threshold			
Remarks	not determined		
pH value			
Remarks	Not applicable		
Melting point			
Remarks	not determined		
Freezing point			
Remarks	not determined		
Initial boiling point and boiling range			
Remarks	not determined		
Flash point			
Remarks	Not applicable		
Evaporation rate (ether = 1) :			
Remarks	not determined		
Flammability (solid, gas)			
evaluation	not determined		
Upper/lower flammability or explosive limits			
Remarks	not determined		
Vapour pressure			
Remarks	not determined		
Vapour density			
Remarks	not determined		
Density			
Value	0,86		g/cm ³
Temperature	20	°C	
Solubility in water			
Remarks	slightly soluble		
Solubility(ies)			
Remarks	not determined		
Partition coefficient: n-octanol/water			
Remarks	not determined		
Ignition temperature			
Remarks	not determined		

neodisher IP Spray

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 10.04.2017

Print date: 28.06.17

Decomposition temperature

Remarks not determined

Viscosity

Remarks not determined

Explosive properties

evaluation not determined

Oxidising properties

evaluation None known

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Protect from heat and direct sunlight. Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

Decomposition temperature

Remarks not determined

10.5. Incompatible materials

Oxidising agents

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Species	rat	
LD50	> 2000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)	

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation slightly irritant

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

neodisher IP Spray

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 10.04.2017

Print date: 28.06.17

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

evaluation May cause drowsiness or dizziness.

Aspiration hazard

No special hazards have to be mentioned.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

fatty alcohols, ethoxylated

Species	zebra fish (<i>Brachydanio rerio</i>)			
LC50	10	to	100	mg/l
Duration of exposure	96	h		
Method	OECD 203			

aliphatic hydrocarbons, C5-C6

Species	Fathead minnow (<i>Pimephales promelas</i>)			
LC50	2,5			mg/l
Duration of exposure	96	h		

Bacteria toxicity (Components)

fatty alcohols, ethoxylated

Species	activated sludge			
EC50	>	1000		mg/l
Method	OECD 209			

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

neodisher IP Spray

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 10.04.2017

Print date: 28.06.17

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Evaluation of persistence and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods




Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	1950	1950	1950
14.2. UN proper shipping name	AEROSOLS, flammable	AEROSOLS, flammable	AEROSOLS, flammable
14.3. Transport hazard class(es)	2	2.1	2.1
Label			
Limited Quantity	1 l		
Transport category	2		
14.5. Environmental hazards		no	
Tunnel restriction code	D		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance

neodisher IP Spray

Version: 3 / GB

Replaces Version: 2 /
GB

Date revised: 10.04.2017

Print date: 28.06.17

or mixture

Major-accident categories acc. 96/82/EC

Category	8	Extremely flammable	10.000	kg	50.000	kg
----------	---	---------------------	--------	----	--------	----

Water Hazard Class (Germany)

Water Hazard Class WGK 1

(Germany)

Remarks Classification according to Annex 4 VwVwS

VOC

VOC (EU) 0 %

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Gas 1	Flammable gas, Category 1
Flam. Liq. 2	Flammable liquid, Category 2
Press. Gas	Gases under pressure
Skin Irrit. 2	Skin irritation, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.